

B-FLEX

HEAT TRANSFER VINYL



REFLEX
S E R I E S



| PRODUCT NAME | DAYTIME COLOR | REFLECTIVE COLOR | PU | THICKNESS | ADHESIVE LINER | PLOTTER CUT | HIGH VISIBILITY CERTIFICATE ¹ | FIRE RETARDANT CERTIFICATE ² | TEMPERATURE | TIME | TRANSFER PRESSURE | LINER REMOVAL | WASH TEMPERATURE |
|-----------------------|---------------|------------------|----|-----------|----------------|-------------|--|---|---------------|------|-------------------|---------------|------------------|
| BF REF796A | silver | silver white | ■ | 140 μ | ■ | 60° | ■ | | 140°C - 285°F | 10" | 3,5 bar - 50 PSI | SEMI-HOT | 60°C |
| BF REF796AFR | silver | silver white | ■ | 140 μ | ■ | 60° | ■ | ■ | 140°C - 285°F | 10" | 3,5 bar - 50 PSI | SEMI-HOT | 60°C |
| BF REF700A | white | optical white | ■ | 140 μ | ■ | 60° | | | 140°C - 285°F | 10" | 3,5 bar - 50 PSI | SEMI-HOT | 60°C |
| BF REF720A | neon yellow | yellow | ■ | 140 μ | ■ | 60° | | | 140°C - 285°F | 10" | 3,5 bar - 50 PSI | SEMI-HOT | 60°C |
| BF REF730A | neon red | red | ■ | 140 μ | ■ | 60° | | | 140°C - 285°F | 10" | 3,5 bar - 50 PSI | SEMI-HOT | 60°C |
| BF REF738A | neon pink | pink | ■ | 140 μ | ■ | 60° | | | 140°C - 285°F | 10" | 3,5 bar - 50 PSI | SEMI-HOT | 60°C |
| BF REF750A | neon green | green | ■ | 140 μ | ■ | 60° | | | 140°C - 285°F | 10" | 3,5 bar - 50 PSI | SEMI-HOT | 60°C |
| BF REF740A | royal blue | blue | ■ | 140 μ | ■ | 60° | | | 140°C - 285°F | 10" | 3,5 bar - 50 PSI | SEMI-HOT | 60°C |
| BF REF792A | gold | gold | ■ | 140 μ | ■ | 60° | | | 140°C - 285°F | 10" | 3,5 bar - 50 PSI | SEMI-HOT | 60°C |
| BF REF710A | black | black | ■ | 140 μ | ■ | 60° | | | 140°C - 285°F | 10" | 3,5 bar - 50 PSI | SEMI-HOT | 60°C |
| BF REF777A | dark | rainbow | ■ | 140 μ | ■ | 60° | | | 140°C - 285°F | 10" | 3,5 bar - 50 PSI | SEMI-HOT | 60°C |
| REF000AFR - segmented | silver | silver white | ■ | 140 μ | ■ | ✂ | ■ | ■ | 140°C - 285°F | 10" | 3,5 bar - 50 PSI | SEMI-HOT | 60°C |

FILMS FOR GARMENT DECORATION: PRINT&CUT



| PRODUCT NAME | PU | THICKNESS | ADHESIVE LINER | ECO SOLVENT INKS | LATEX INKS | TEMPERATURE | TIME | TRANSFER PRESSURE | LINER REMOVAL | WASH TEMPERATURE ³ |
|--------------------------------|-----|-----------|----------------|------------------|------------|---------------|------|-------------------|---------------|-------------------------------|
| BF PRINTREF796 | ■ | 150 μ | ■ | ■ | ■ | 150°C - 305°F | 10" | 3,5 bar - 50 PSI | SEMI-HOT | 40°C |
| BF PRINTREFW | ■ | 150 μ | ■ | ■ | ■ | 150°C - 305°F | 10" | 3,5 bar - 50 PSI | SEMI-HOT | 40°C |
| BF MYLAR TECH application tape | PET | 100 μ | ■ | | | | | | | |

1. High Visibility Certifications: EN ISO 20471 - ANSI/ISEA 107 - CSA Z96 15 - AS/NZS 1906
2. Fire Retardant Certifications: EN 469 - EN ISO 14116 - EN ISO 11612 - NFPA 701 - ASTM 1506
3. Temperatures related on heat transfer vinyl; for the inks features, refer to the data sheet inks producer's.


The Oeko Tex certification applies to certain products as listed on our website www.b-flexitalia.com



You can view the data sheets directly from the label outside and inside the packaging with the QR code and work faster and easier.



SCAN THE QR CODE



SELECT YOUR LANGUAGE



DOWNLOAD THE DATA SHEET




START WITH YOUR APPLICATION

BF REFLEX: CAD-CAM



BF REF796A
REFLECTIVE SILVER



For slight to moderate stretchable base fabric.

BF REFLEX offers a wide range of colors to fulfil the needs of high visibility workwear in the world of sportswear and fashion that is increasingly looking for unique and surprising effects. The **BF REF796A** is for slight to moderate stretchable base fabric. The high visibility of this film is certified with international standards.




BF REF796AFR
FIRE RETARDANT REFLECTIVE SILVER



Creativity meets safety. **BF REFLEX FIRE RETARDANT** heat transfer vinyl is retardant to flames ensuring a protective effect where necessary. This feature is certified with internationally recognized standards such as: EN ISO 11612, EN ISO 14116, ASTM F1506, EN 469, NFPA 701.



BF REF000AFR
SEGMENTED FIRE RETARDANT
SCALE 1:1



The **BF REF000AFR** heat transfer vinyl is a pre-cut film with diagonal strips which make it fast and easy to apply. Available in 5 cm rolls (2in), simply choose the length you need and apply it directly to the garment. This film is certified fire retardant and high visibility with international certifications.

BF REFLEX: CAD-CAM




BF REF700A
DAYTIME COLOR WHITE



BF REF738A
DAYTIME COLOR NEON PINK



BF REF792A
DAYTIME COLOR GOLD



BF REF720A
DAYTIME COLOR NEON YELLOW



BF REF750A
DAYTIME COLOR NEON GREEN



BF REF710A
DAYTIME COLOR BLACK



BF REF730A
DAYTIME COLOR NEON RED



BF REF740A
DAYTIME COLOR ROYAL BLUE



BF REF777A
DAYTIME COLOR DARK



The white color reflects as optical white.



The gold color reflects as gold.



The neon yellow color reflects as yellow.



The black color reflects as black.



The royal blue color reflects as blue.



The dark color reflects as rainbow.

BF PRINT REFLEX: PRINT&CUT



BF PRINTREF796
DIGITAL PRINTING REFLECTIVE SILVER



The **BF PRINT REFLEX** series for digital printing consists of two polyurethane films with a reflective finish available in two different basic colors: white and silver. These films are specially designed for all workwear, safety clothing and sports applications that require reflective details.



BF PRINTREFW
DIGITAL PRINTING REFLECTIVE WHITE



The **BF PRINT REFLEX** in white base and **BF PRINT REFLEX** in silver base are printable with solvent, eco-solvent and latex inks and allow you to print graphics without limits of creativity, guaranteeing a perfect color rendering.

WE ARE



B-FLEX: Italian-made quality and innovation

We produce the highest quality heat transfer vinyl on the market. Ease of use, quick application, and long-lasting results are the main features of our products. **Fast shipping** and **after-sale support** are some of our competitive advantages. If you need assistance regarding your garment decorating needs, our experts are here to help.

Making your job simpler and faster is our mission.

OUR VALUES

QUALITY

We've developed the perfect formula for our heat transfer adhesive. It's reliable, thin, stretchy, wash-resistant, and works at a low temperature.

SERVICE

We pack and ship your orders within 24 hours, anywhere in the world.

CONSULTING

Our team of experts will help you find a customized solution for your garment decorating needs, guiding you step-by-step.

MADE IN ITALY

We source the highest quality raw materials, manufacture with state-of-the-art machinery, and work around the clock to provide you with the best service. Your business is our passion.



HEADQUARTERS

B-FLEX ITALIA S.r.l.

Via 1° Maggio, 44 | 36050 Sovizzo (VI) | ITALY

Tel +39 0444.028139 | info@b-flexitalia.com

www.b-flexitalia.com

NORTH AMERICA BRANCH

B-FLEX AMERICA LLC

468 Columbia Industrial Blvd | Evans | GA 30809

Tel +1 (866) 440-BFLX | info@b-flexamerica.com

www.b-flexamerica.com

ASIA-PACIFIC BRANCH

B-FLEX PACIFIC PTY LTD

5 Raceway Pl | Eastern Creek | NSW 2766

Sydney | Australia

Tel +61 2 8662 0801 | info@b-flexpacific.com

www.b-flexpacific.com

connect with us

